

SAFETY DATA SHEET

Section 1 – Product And Company Identification

PRODUCT

PRODUCT NAME: NoSpray Tape / No35mm, No50mm, No100mm, No140mm, No250mm, No500mm, No1000mm
PRODUCT DESCRIPTION: Adhesive tape.
PRODUCT USE: Pressure sensitive adhesive tape for tape applications.

MANUFACTURER INFORMATION

INNOVATIVE MANUFACTURING INC
 861 DERWENT WAY
 DELTA, BC, CANADA, V3M 5R4
 (604) 522-2811

EMERGENCY INFORMATION

INNOVATIVE MANUFACTURING CONTACT: 1-800-667-8246
24-HOUR EMERGENCY AND SDS HELP: CANUTEC: 613-966-6666

Section 2 – Hazards Identification

GHS Hazard Classification

This product is a manufactured article as defined in the OSHA Hazard Communication Standard. During normal use no exposure to the hazardous ingredients occurs. A SDS is not required. This SDS is provided for informational purposes.

Aspiration toxicity	Category 4 (fiberglass as dust, loose fibers)
Skin corrosive/irritation	Category 2 (fiberglass as loose fibers)
Skin corrosive/irritation	Category 2 (adhesive may pull skin)
Serious eye damage/eye irritation	Category 2 (fiberglass as loose fibers)



Signal word Warning

Hazard Statement: May enter the body via inhalation as dust when cut, sawed or shredded.
 May irritate eyes and skin as loose fibers when cut, sawed or shredded.

Precautionary Statements:

Prevention	Use pursuant to instructions. Do not expose to temperatures over 371°C (700°F). Wear eye protection and gloves when cutting. Wear mask when aggressively cutting or shredding (under normal conditions, airborne exposure is not significant enough to warrant respiratory protection).
Response	This material cannot hold a flame. If inhaled fumes or fibers: move to fresh air. If fibers are in eye: rinse cautiously with water. Remove contact lenses. If fibers are on skin: rinse skin. If lung, eye or skin irritation persists: seek medical attention
Storage	Store in dry environment at ambient temperature
Disposal	No restrictions

Section 3 – Composition/Information on Ingredients

COMPONENTS	CAS No.	% BY WEIGHT
Glass Cloth	65997-17-3	55-75
Aluminum	7429-90-5	25-45
Polysiloxanes, DI-ME, DI-PH, Hydroxy-terminated	68951-93-9	1-5

Section 4 – First Aid Measures

Description of First Aid Measures

Inhalation	Remove person to fresh air. If condition persists, seek medical attention.
Skin Contact	Rinse with water. If rash or itching persist, seek medical attention.

Eye Contact	Rinse with water. Remove contacts, do not rub eyes. Seek medical attention.
Ingestion	Not a standard exposure path. No known issues.
Notes to physician	Fiberglass is inert. No known exposure issues. Combustion may yield oxides of carbon and aluminum.

Section 5 – Fire Fighting Measures

Suitable extinguishing media	Class A extinguishing media.
Unsuitable extinguishing media	None known.
Special hazards arising from the substance or mixture	No unusual fire or explosion hazards inherent in the material. Combustion may yield oxides of carbon and aluminum.
Protective actions fire-fighters	Wear Bunker Gear and SCBA.
Further information	Fiberglass will not hold a flame; however, if combusting due to accelerants or other materials in proximity, fumes may be released. Combustion may yield oxides of carbon and aluminum.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures	Do not smoke when handling.
Environmental precautions	None
Methods and materials for containment and cleaning up	
Methods for cleaning up	Solid material—collect and dispose in accordance with federal, state and local regulations as a solid non-hazardous waste. Do not incinerate. Dust, fibers—vacuum and containerize.

Section 7 – Handling and Storage

Precautions for safe handling	Handle as dry goods.
Conditions for safe storage, including any incompatibilities	Follow good warehousing practices. Store in a dry environment, ambient temperature, away from extreme heat sources or open flame.

Section 8 – Exposure Controls / Personal Protection

Exposure Guidelines

Components	ACGIH TLV	OSHA PEL
Fiberglass, continuous filament 65997-17-3	As dust: 10 mg/m ³ as 10-hr TWA	As dust: 5 mg/m ³ as PNOR 15mg/m ³ as 8-hr TWA
Aluminum 7429-90-5	As dust: 1 mg/m ³	As dust: 5 mg/m ³ as PNOR 15mg/m ³ as 8-hr TWA

Exposure controls

Appropriate engineering control Review applications to avoid heat sources over 260°C (500°F).

Individual protection measures, such as personal protective equipment

Hand protection	As desired. Rubber, latex or Nomex gloves recommended for those with skin sensitivity to fiberglass fibers.
Eye Protection	Safety glasses recommended when cutting.
Skin/body	As desired. No requirements.

Respiratory Protection Dust mask recommended if shredding fabric.

General Hygiene Considerations Do not smoke when handling material. Practice good warehouse and dry-goods handling to ensure material integrity. Do not store near heat source.

Section 9 – Physical and Chemical Properties

Flash Point None. Cannot self-ignite. Can burn with direct heat only. Will self-extinguish when heat source is removed. Material is conductive and in microwave oven.

Explosive Limits: None

Vapor: None. Fumes may generate upon exposure to heat source above 371°C (700°F).

Section 10 – Stability and Reactivity

Reactivity: None under normal handling and use. Avoid contact with molten alkali metals.

Chemical Stability: Inert.

Other None under normal handling and use. Thermal decomposition may produce oxides of carbon and aluminum.

Section 11 – Toxicological Information

Acute Effects
None identified when used as intended.

Chronic Effects
None identified.

Carcinogenic Effects
None identified.

Section 12 – Ecological Information

No known ecological or environmental effects.

Section 13 – Disposal Considerations

Disposal: Treat as non-reactive (inert) solids. Dispose of solid material in accordance with federal, state and local regulations as a solid non-hazardous waste. Do not incinerate. For dust and loose fibers, vacuum and containerize.

Section 14 – Transportation Information

CFR Not regulated under 49CFR.

TDG Not regulated under TDG.

IATA Cargo Transport Not regulated under IATA.

Section 15 – Regulatory Information

N/A

Section 16 – Other Information

Issue Date: July 31, 2018

Supersedes:

Prepared By: Joey Wang

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA BELIEVED TO BE RELIABLE BY INNOVATIVE MANUFACTURING INC. IT IS TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE, BUT IS NOT INTENDED TO BE ALL-INCLUSIVE. USERS SHOULD CONSIDER THIS INFORMATION AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM AND MUST MAKE THEIR OWN DETERMINATION OF SUITABILITY AND COMPLETENESS TO ASSURE PROPER SAFE USE AND DISPOSAL OF THESE MATERIALS.